

Fil Wire



taille réduite
reduced in size



TT22/SS
acier inoxydable
stainless steel



TT24/SS
acier inoxydable
stainless steel



TT26/SS
acier inoxydable
stainless steel



(TT28/SS)

(non représentés)
(not shown)

Fil d'alpaca Fil de cuivre/nickel
Alpaca Wire Copper/Nickel Wire

TTALP0.5MM
9.2MT, (30 FT)

TTALP1MM
4.5 MT, (15 FT)

TTALP1.25MT
4.5 MT, (15 FT)

TTALP1.5MM
4.5 MT, (15 FT)




taille réduite
reduced in size



Fil a enfiler/Beading Wire

GAUGE			
18 (10 YDS)		TT18/SPL	
20 (15 YDS)	TT20/GL	TT20/SPL	TT20/CO
22 (10 YDS)		TT22/SPL	
24 (24 YDS)	TT24/BR		
24 (25 YDS)	TT24/GL		
24 (30 YDS)		TT24/SPL	TT24/CO
26 (30 YDS)	TT26/GL	TT26/SPL	
28 (40 YDS)	TT28/GL	TT28/SPL	TT28/CO



Cable de bijoux/Jewellery Cable

TTCW31
.031" diamètre, 9.2 MT, (30 FT)

TTCW93
.093" diamètre, 9.2 MT, (30 FT)

TTCW45
.045" diamètre, 9.2 MT, (30 FT)

Fil de style Allemand

German Style Wire



TTPK18SQ/SPL



TTPK18SQ/BR



TTPK20SQ/BR

20 Gauge • 0.81 mm x 0.81 mm • .032 in x .032 in • 2 m • 6.5 ft



TTPK22SQ/BR

22 Gauge • 0.64 mm x 0.64 mm • .025 in x .025 in • 3.5 m • 11.5 ft

taille réduite
 reduced in size

Fil de style Allemand

German Style Wire



taille réduite
 reduced in size



TTPK20HR/SPL

taille réduite
 reduced in size



TTPK20HR/BR

Fil de style Allemand

German Style Wire



taille réduite
reduced in



TTPK24SQ/SPL

TTPK24SQ/BR

Fil Wire



Fil a enfiler/Beading Wire

GAUGE	METERS		GL	CO
14 (1.5mm)	1.8	TTG14/SPL		
16 (1.2mm)	3	TTG16/SPL		
18 (1mm)	4	TTG18/SPL	TTG18/GL	
20 (0.8mm)	6	TTG20/SPL	TTG20/GL	TTG20/CO
22 (0.6mm)	10	TTG22/SPL	TTG22/GL	TTG22/CO
24 (0.5mm)	12	TTG24/SPL	TTG24/GL	TTG24/CO
26 (0.4mm)	20	TTG26/SPL	TTG26/GL	TTG26/CO

taille réduite
 reduced in size



TT24SQ/SS

taille réduite
 reduced in size

Fil en acier inoxydable

Stainless Steel Wire



taille réduite
 reduced in size



taille réduite
 reduced in size

